

2023 Preventive Schedule

Effective 1/1/2023

Plan your care: Know what you need and when to get it

Preventive or routine care helps us stay well or finds problems early, when they are easier to treat. The preventive guidelines on this schedule depend on your age, gender, health, and family history. As a part of your health plan, you may be eligible to receive some of these preventive benefits with little to no cost sharing when using in-network providers. Make sure you know what is covered by your health plan and any requirements before you receive any of these services.

Some services and their frequency may depend on your doctor's advice. That's why it's important to talk with your doctor about the services that are right for you. CHIP members may have additional preventive services and coverage. Please check the CHIP member booklet for further details of CHIP coverage of preventive services.

Questions?



Call Member Service



Ask your doctor



Log in to your account

Adults: Ages 19+







Female












Male

GENERAL HEALTH CARE

	Routine Checkup* (This exam is not the work- or school-related physical)	<ul style="list-style-type: none">Ages 19 to 49: Every 1 to 2 yearsAges 50 and older: Once a year
	Depression Screening	Once a year
	Illicit Drug Use Screening	Once a year
	Pelvic, Breast Exam	Once a year

SCREENINGS/PROCEDURES








	Abdominal Aortic Aneurysm Screening	Ages 65 to 75 who have ever smoked: One-time screening
	Ambulatory Blood Pressure Monitoring	To confirm new diagnosis of high blood pressure before starting treatment
	Breast Cancer Genetic (BRCA) Screening (Requires prior authorization)	Those meeting specific high-risk criteria: One-time genetic assessment for breast and ovarian cancer risk
	Cholesterol (Lipid) Screening	<ul style="list-style-type: none">Ages 20 and older: Once every 5 yearsHigh-risk: More often
	Colon Cancer Screening (Including Colonoscopy)	<ul style="list-style-type: none">Ages 45 and older: Every 1 to 10 years, depending on screening testHigh-risk: Earlier or more frequently
	Colon Cancer Screening	Ages 45 and older: Colonoscopy following a positive result obtained within 1 year by other mandated screening method
	Certain Colonoscopy Preps With Prescription	<ul style="list-style-type: none">Ages 45 and older: Once every 10 yearsHigh-risk: Earlier or more frequently
	Diabetes Screening	High-risk: Ages 40 and older, once every 3 years
	Hepatitis B Screening	High-risk

* Routine checkup could include health history; physical; height, weight, and blood pressure measures; body mass index (BMI) assessment; counseling for obesity, fall prevention, skin cancer, and safety; depression screening; alcohol and drug abuse, and tobacco use assessment; age-appropriate guidance, and intimate partner violence screening and counseling for reproductive age women.













* USPSTF mandated Routine Labs

Adults: Ages 19+

SCREENINGS/PROCEDURES











	Hepatitis C Screening	Ages 18 to 79
	Latent Tuberculosis Screening	High-risk
	Lung Cancer Screening (Requires prior authorization and use of authorized facility)	Ages 50 to 80 with 20-pack per year history: Once a year for current smokers, or once a year if currently smoking or quit within past 15 years
	Mammogram	Ages 40 and older: Once a year including 3D
	Osteoporosis (Bone Mineral Density) Screening	Ages 65 and older: Once every 2 years, or younger if at risk as recommended by physician
	Cervical Cancer Screening	<ul style="list-style-type: none"> Ages 21 to 65 Pap: Every 3 years, or annually, per doctor's advice Ages 30 to 65: Every 5 years if HPV only or combined Pap and HPV are negative Ages 65 and older: Per doctor's advice
	Sexually Transmitted Disease (STD) Screenings and Counseling (Chlamydia, Gonorrhea, HIV, and Syphilis)	<ul style="list-style-type: none"> Sexually active males and females HIV screening for adults to age 65 in the general population and those at risk, then screening over age 65 with risk factors

IMMUNIZATIONS**

	Chicken Pox (Varicella)	Adults with no history of chicken pox: One 2-dose series
	COVID-19 Vaccine	Per doctor's advice following CDC and Emergency Use Authorization Guidelines
	Diphtheria, Tetanus (Td/Tdap)	One dose Tdap, then Td or Tdap booster every 10 years
	Flu (Influenza)	Every year (Must get at your PCP's office or designated pharmacy vaccination provider; call Member Service to verify that your vaccination provider is in the Highmark network)
	Haemophilus Influenzae Type B (Hib)	For adults with certain medical conditions to prevent meningitis, pneumonia, and other serious infections; this vaccine does not provide protection against the flu and does not replace the annual flu vaccine
	Hepatitis A	At-risk or per doctor's advice: One 2- or 3-dose series
	Hepatitis B	<ul style="list-style-type: none"> Ages 19–59: 2 to 4 doses per doctor's advice Ages 60 and older: High-risk per doctor's advice
	Human Papillomavirus (HPV)	<ul style="list-style-type: none"> To age 26: One 3-dose series Ages 27 to 45, at-risk or per doctor's advice
	Measles, Mumps, Rubella (MMR)	One or two doses
	Meningitis*	At-risk or per doctor's advice
	Pneumonia	High-risk or ages 65 and older: One or two doses, per lifetime
	Shingles	<ul style="list-style-type: none"> Shingrix - Ages 50 and older: Two doses Ages 19 to 49: Immunocompromised per doctor's advice

* Meningococcal B vaccine per doctor's advice.

** Must get at your PCP's office or designated pharmacy vaccination provider. Call Member Service to verify that your vaccination provider is in the Highmark network

PREVENTIVE DRUG MEASURES THAT REQUIRE A DOCTOR'S PRESCRIPTION		
	Aspirin	Pregnant women at risk for preeclampsia
	Folic Acid	Women planning or capable of pregnancy: Daily supplement containing .4 to .8 mg of folic acid
	Chemoprevention drugs such as raloxifene, tamoxifen, or aromatase*** inhibitor	At risk for breast cancer, without a cancer diagnosis, ages 35 and older
	Tobacco Cessation (Counseling and medication)	Adults who use tobacco products
	Low to Moderate Dose Select Generic Statin Drugs for Prevention of Cardiovascular Disease (CVD)	Ages 40 to 75 years with 1 or more CVD risk factors (such as dyslipidemia, diabetes, hypertension, or smoking) and have calculated 10-year risk of a cardiovascular event of 10% or greater
	Select PrEP Drugs and Certain Related Services for Prevention of HIV Infection	Adults at risk for HIV infection, without an HIV diagnosis
PREVENTIVE CARE FOR PREGNANT WOMEN		
	Screenings and Procedures	<ul style="list-style-type: none"> • Gestational diabetes screening • Hepatitis B screening and immunization, if needed • HIV screening • Syphilis screening • Smoking cessation counseling • Depression screening during pregnancy and postpartum • Depression prevention counseling during pregnancy and postpartum • Rh typing at first visit • Rh antibody testing for Rh-negative women • Tdap with every pregnancy • Urine culture and sensitivity at first visit • Alcohol misuse screening and counseling • Nutritional counseling for pregnant women to promote healthy weight during the pregnancy
PREVENTION OF OBESITY, HEART DISEASE, DIABETES, AND STROKE		
	Adults with BMI 25 to 29.9 (overweight) and 30 to 39.9 (obese) are eligible for:	<ul style="list-style-type: none"> • Additional annual preventive office visits specifically for obesity and blood pressure measurement • Additional nutritional counseling visits specifically for obesity • Recommended lab tests: <ul style="list-style-type: none"> – ALT – AST – Hemoglobin A1c or fasting glucose – Cholesterol screening
	Adults with a diagnosis of Hypertension, High Blood Pressure, Dyslipidemia, or Metabolic Syndrome	Nutritional counseling
	Adults with BMI 40 and over	Nutritional counseling and fasting glucose screening
ADULT DIABETES PREVENTION PROGRAM (DPP)		
	Applies to Adults <ul style="list-style-type: none"> • Without a diagnosis of diabetes (does not include a history of gestational diabetes) • Overweight or obese (determined by BMI) • Fasting Blood Glucose of 100-125 mg/dl or HGBA1c of 5.7% to 6.4% or Impaired Glucose Tolerance Test of 140-199mg/dl 	Enrollment in certain select CDC-recognized lifestyle change DPP programs for weight loss

*** Aromatase inhibitors when the other drugs can't be used such as when there is a contraindication or they are not tolerated.

2023 Preventive Schedule

Plan your child's care:

Know what your child needs and when to get it

Preventive or routine care helps your child stay well or finds problems early, when they are easier to treat. Most of these services may not have cost sharing if you use the plan's in-network providers. Make sure you know what is covered by your health plan and any requirements before you schedule any services for your child.

Services include Bright Futures recommendations. CHIP members may have additional preventive services and coverage. Please check the CHIP member booklet for further details of CHIP coverage of preventive services.

It's important to talk with your child's doctor. The frequency of services, and schedule of screenings and immunizations, depends on what the doctor thinks is right for your child.

Questions?



Call Member Service



Ask your doctor



Log in to your account

Children: Birth to 30 Months¹

GENERAL HEALTH CARE	BIRTH	1M	2M	4M	6M	9M	12M	15M	18M	24M	30M
Routine Checkup* (This exam is not the preschool- or day care-related physical.)	●	●	●	●	●	●	●	●	●	●	●
Hearing Screening	●										
SCREENINGS											
Autism Screening									●	●	
Critical Congenital Heart Disease (CCHD) Screening With Pulse Oximetry	●										
Developmental Screening						●			●		●
Hematocrit or Hemoglobin Anemia Screening							●				
Lead Screening**							●			●	
Newborn Blood Screening and Bilirubin	●										
IMMUNIZATIONS											
Chicken Pox							Dose 1				
COVID-19 Vaccine	Per doctor's advice following CDC and Emergency Use Authorization Guidelines										
Diphtheria, Tetanus, Pertussis (DTaP)			Dose 1	Dose 2	Dose 3			Dose 4			
Flu (Influenza)***					Ages 6 months to 30 months: 1 or 2 doses annually						
Haemophilus Influenzae Type B (Hib)			Dose 1	Dose 2	Dose 3		Dose 4				
Hepatitis A							Dose 1		Dose 2		
Hepatitis B	Dose 1	Dose 2			Dose 3						
Measles, Mumps, Rubella (MMR)							Dose 1				
Pneumonia			Dose 1	Dose 2	Dose 3		Dose 4				
Polio (IPV)			Dose 1	Dose 2	Ages 6 months to 18 months: Dose 3						
Rotavirus			Dose 1	Dose 2	Dose 3						

* Routine checkup could include height and weight measures, behavioral and developmental assessment, and age-appropriate guidance. Additional: Instrument vision screening to assess risk for ages 1 and 2 years.

** Per Bright Futures, and refer to state-specific recommendations as needed.

*** Must get at your PCP's office or designated pharmacy vaccination provider. Call Member Service to verify that your vaccination provider is in the Highmark network.

Children: 3 Years to 18 Years¹

GENERAL HEALTH CARE	3Y	4Y	5Y	6Y	7Y	8Y	9Y	10Y	11Y	12Y	15Y	18Y
Routine Checkup* (This exam is not the preschool- or day care–related physical)	●	●	●	●	●	●	●	●	Once a year from ages 11 to 18			
Ambulatory Blood Pressure Monitoring**												●
Depression Screening										Once a year from ages 12 to 18		
Illicit Drug Use Screening												●
Hearing Screening***		●	●	●		●		●		●	●	●
Visual Screening***	●	●	●	●		●		●		●	●	
SCREENINGS												
Hematocrit or Hemoglobin Anemia Screening			Annually for females during adolescence and when indicated									
Lead Screening	When indicated (Please also refer to your state-specific recommendations)											
Cholesterol (Lipid) Screening							Once between ages 9 to 11 and ages 17 to 21					
IMMUNIZATIONS												
Chicken Pox		Dose 2									If not previously vaccinated: Dose 1 and 2 (4 weeks apart)	
COVID-19 Vaccine	Per doctor’s advice following CDC and Emergency Use Authorization Guidelines											
Dengue Vaccine							9–16 years living in dengue endemic areas in U.S. Territories AND have laboratory confirmation of previous dengue infection					
Diphtheria, Tetanus, Pertussis (DTaP)		Dose 5							One dose Tdap			
Flu (Influenza)****	Ages 3 to 18: 1 or 2 doses annually											
Human Papillomavirus (HPV)							Provides long-term protection against cervical and other cancers. 2 doses when started ages 9 to 14. 3 doses, all other ages.					
Measles, Mumps, Rubella (MMR)		Dose 2										
Meningitis*****									Dose 1		Age 16: One- time booster	
Pneumonia	Per doctor’s advice											
Polio (IPV)		Dose 4										

* Routine checkup could include height and weight measures, behavioral and developmental assessment, and age-appropriate guidance; alcohol and drug abuse, and tobacco use assessment.

** To confirm new diagnosis of high blood pressure before starting treatment.


*** Hearing screening once between ages 11-14, 15-17, and 18-21. Vision screening covered when performed in doctor's office by having the child read letters of various sizes on a Snellen chart. Includes instrument vision screening for ages 3, 4, and 5 years. A comprehensive vision exam is performed by an ophthalmologist or optometrist and requires a vision benefit.

**** Must get at your PCP's office or designated pharmacy vaccination provider. Call Member Service to verify that your vaccination provider is in the Highmark network.

***** Meningococcal B vaccine per doctor's advice.

CARE FOR PATIENTS WITH RISK FACTORS											
BRCA Mutation Screening (Requires prior authorization)											Per doctor's advice
Cholesterol Screening	Screening will be done based on the child's family history and risk factors										
Fluoride Varnish (Must use primary care doctor)	Ages 5 and younger										
Hepatitis B Screening											Per doctor's advice
Hepatitis C Screening											●
Latent Tuberculosis Screening											High-risk
Sexually Transmitted Disease (STD) Screenings and Counseling (Chlamydia, Gonorrhea, HIV, and Syphilis)											For all sexually active individuals HIV routine check, once between ages 15 to 18
Tuberculin Test	Per doctor's advice										

Children: 6 Months to 18 Years¹

PREVENTIVE DRUG MEASURES THAT REQUIRE A DOCTOR'S PRESCRIPTION	
Oral Fluoride	For ages 6 months to 16 years whose primary water source is deficient in fluoride
PREVENTION OF OBESITY, HEART DISEASE, DIABETES, AND STROKE	
Children with a BMI in the 85th to 94th percentile (overweight) and the 95th to 98th percentile (obese) are eligible for:	<ul style="list-style-type: none"> • Additional annual preventive office visits specifically for obesity • Additional nutritional counseling visits specifically for obesity • Recommended lab tests: <ul style="list-style-type: none"> – Alanine aminotransferase (ALT) – Aspartate aminotransferase (AST) – Hemoglobin A1c or fasting glucose (FBS) – Cholesterol screening
Age 18 with a diagnosis of Hypertension, High Blood Pressure, Dyslipidemia, or Metabolic Syndrome	Nutritional counseling
ADULT DIABETES PREVENTION PROGRAM (DPP) AGE 18	
 Applies to Adults <ul style="list-style-type: none"> • Without a diagnosis of diabetes (does not include a history of gestational diabetes) • Overweight or obese (determined by BMI) • Fasting Blood Glucose of 100-125 mg/dl or HGBA1c of 5.7% to 6.4% or Impaired Glucose Tolerance Test of 140-199mg/dl 	Enrollment in certain select CDC-recognized lifestyle change DPP programs for weight loss



Women's Health Preventive Schedule

SERVICES	
Well-Woman Visits (Includes: preconception and first prenatal visit, urinary incontinence screening)	Up to 4 visits each year for developmentally and age-appropriate preventive services
Contraception (Birth Control) Methods and Discussion*	All women planning or capable of pregnancy
SCREENINGS/PROCEDURES	
Diabetes Screening	<ul style="list-style-type: none">• High-risk: At the first prenatal visit
HIV Screening and Discussion	<ul style="list-style-type: none">• All sexually active women: Once a year• Ages 15 and older, receive a screening test for HIV at least once during their lifetime• Risk assessment and prevention education for HIV infection beginning at age 13• Screen for HIV in all pregnant women upon initiation of prenatal care with rescreening during pregnancy based on risk factors
Human Papillomavirus (HPV) Screening Testing	Beginning at age 30: Every 3 years
Domestic and Intimate Partner Violence Screening and Counseling	Once a year
Breast-feeding (Lactation) Support and Counseling, and Costs for Equipment	During pregnancy and/or after delivery (postpartum)
Sexually Transmitted Infections (STI) Discussion	All sexually active women: Once a year
Screening for Anxiety	The Women's Preventive Services Initiative recommends screening for anxiety in adolescent girls and adult women, including those who are pregnant or postpartum.
Nutritional Counseling	Ages 40–60 with normal BMI and overweight BMI

* FDA-approved contraceptive methods may include sterilization and procedures as prescribed. One or more forms of contraception in each of the 18 FDA-approved methods, as well as any particular service or FDA approved, cleared or granted contraceptive product that an individual's provider determines is medically appropriate, are covered without cost sharing. Exception Process: Your provider may request an exception for use of a prescribed nonformulary contraception drug due to medical necessity by completing the online request form. When approved, the prescribed drug will then be made available to you with zero-dollar cost share. [<https://hbs.highmarkprc.com/Forms/Pharmacy-Prior-Authorization-Forms>] Only FDA approved contraception apps, which are not part of the 18 method categories, and are available for download to a cell phone are reimbursable through the paper claim process with a prescription. Members need to submit three documents to obtain reimbursement; 1) completed the paper Claim Form: [https://www.highmarkbs.com/redesign/pdfs/mhs/Medical_Claim_Form.pdf] Under section DIAGNOSIS OR NATURE OF ILLNESS OR INJURY – write “contraception app purchase” 2) receipt of payment for the FDA approved contraception app, 3) provider prescription for the FDA approved contraception app.

Information About the Affordable Care Act (ACA)

This schedule is a reference tool for planning your family's preventive care, and lists items and services required under the Affordable Care Act (ACA), as amended. It is reviewed and updated periodically based on the advice of the U.S. Preventive Services Task Force, laws and regulations, and updates to clinical guidelines established by national medical organizations. Accordingly, the content of this schedule is subject to change. Your specific needs for preventive services may vary according to your personal risk factors. Your doctor is always your best resource for determining if you're at increased risk for a condition. Some services may require prior authorization. If you have questions about this schedule, prior authorizations, or your benefit coverage, please call the Member Service number on the back of your member ID card.

Information About Children's Health Insurance Program (CHIP)

Because the Children's Health Insurance Program (CHIP) is a government-sponsored program and not subject to ACA, certain preventive benefits may not apply to CHIP members and/or may be subject to copayments.

The ACA authorizes coverage for certain additional preventive care services. These services do not apply to "grandfathered" plans. These plans were established before March 23, 2010, and have not changed their benefit structure. If your health coverage is a grandfathered plan, you would have received notice of this in your benefit materials.